Author Index to Volume 15

References with (L) are to Letters to the Editor

Adamson, Arthur W. Measurement of Na^+ ion diffusion by means of radiosodium—762(L)

Allen, Augustine O. and John A. Ghormley. Decomposition of solid barium nitrate by fast electrons—208(L)

Amdur, I. Low temperature transport properties of gases. I. Helium—482

Arnold, James R. and Nathan Sugarman. Short-lived isomeric states of Se^{83} and Ge^{77}—703

Arons, A. B. (see J. M. Richardson)—785

Aston, J. G. (see Szasz, G. J.)—562

—— **and G. J. Szasz.** On a method of correcting for incomplete thermal isolation in measurements of small heat capacities—560

Badger, Richard M. (see Humphrey, George L.)—794

Band, William (see Mayer, Joseph E.)—141

Bauer, Norman and J. Y. Beach. Differences in mass spectra of H_2 and D_2—150(L)

Beach, J. Y. (see Bauer, Norman)—150(L)

Beard, C. I. and B. P. Dailey. Microwave spectrum and structure of isothiocyanic acid—762(L)

Becher, Paul (see Waring, Charles E.)—488

Bender, Paul (see Chien, Jen-Yuan)—376

Benesi, H. A. and C. P. Smyth. Molecular association in hydrogen fluoride vapor—337(L)

Benson, G. C. (see McIntosh, R.)—17

Benson, Sidney W. Heat capacities of liquids and vapors—866

—— Intermolecular forces and energies of vaporization of liquids—367

Bernstein, H. J. Addendum: A relation between bond order and covalent bond distance—688(L)

—— Bond energy relation for multiple bonds—339(L)

—— Relation between bond order and covalent bond distance—284

—— **and G. Herzberg.** Ultraviolet absorption spectrum of nitric oxide—77(L)

Bigeleisen, Jacob and Maria Geoppert Mayer. Calculation of constants for isotopic exchange reactions—261

Blanc, M. V., P. G. Guest, Guenther von Elbe, and Bernard Lewis. Ignition of explosive gas mixtures by electric sparks. I. Minimum ignition energies and quenching distances of mixtures of methane, oxygen, and inert gases—798

Boeker, G. F. (see Reber, R. K.)—508

Bondi, A. Pressure coefficient of viscosity—527(L)

Booth, Andrew D. New refinement technique for x-ray structure analysis—415(L)

—— **and Dorothy Wrinch.** Patterson-Harker maps of molecular crystals—416(L)

Brattain, R. Robert (see Rasmussen, R. S.)—120, 131, 135

Bridgman, P. W. Effect of high mechanical stress on certain solid explosives—311

—— Experimental contribution to the problem of diamond synthesis—92

Brinkley, Stuart R., Jr. Calculation of the equilibrium composition of systems of many constituents—107

—— On the equation of state for gases at extremely high pressure—113(L)

Brockway, L. O. (see Karle, J.)—213

Budó, A. (see Kovács, I.)—166

Buerger, M. J. Derivative crystal structures—1

Bugosh, John, Ernest Yeager, and Frank Hovorka. Application of ultrasonic waves to the study of electrolytic solutions—592

Campbell, Herbert N. (see Smith, Wendell V.)—338(L)

Carpenter, Gene B. and Ralph S. Halford. Motions of molecules in condensed systems. III. Infra-red spectra for cyclohexane solid II, solid I, liquid and vapor in the range from 3 to 15μ—99

Carroll, B. H. (see West, W.)—529

Chien, Jen-Yuan and Paul Bender. Photoelectric intensity measurements of Raman spectra—376

Cleveland, Forrest F. (see Meister, Arnold G.)—349

——, **M. J. Murray, and W. S. Gallaway.** Infra-red spectrum and depolarization factors of the Raman lines of spiropentane and the Raman and infra-red spectra of 1, 1-dimethylcyclopropane, 1-methylcyclobutene, and methylenecyclobutane—742

Coggeshall, Norman D. and Eleanor L. Saier. Pressure broadening in the infra-red and optical collision diameters—65

Cook, Melvin A. Equation of state for gases at extremely high pressures and temperatures from the hydrodynamic theory of detonation—518

Cottrell, T. L. and L. E. Sutton. Resonance energies from thermal data—685(L)

Coulson, C. A. and W. E. Moffitt. Strain in non-tetrahedral carbon atoms—151(L)

Couture, Lucienne. Selection rules for ionic crystals—153(L)

Crawford, Bryce L. and William Horwitz. Raman apparatus for quantitative polarization measurements—268

Cross, Paul C. (see Wilson, Earl A., Jr.)—687(L)

Crowell, Thomas (see Kirshenbaum, Isidor)—440

Dailey, B. P. (see Beard, C. I.)—762(L)

Daunt, J. G., R. E. Probst, and H. L. Johnston. Separation of the isotopes He^3 and He^4 in the liquid phase—759(L)

Davies, Mansel. Simple potential functions for HF and $[F\text{-}H\cdots F]^-$—739

Defay, R. (see Prigogine, I.)—614(L)

Deitz, V. R. (see Loebenstein, W. V.)—687(L)

Dole, Malcolm. Rate of adsorption of phosgene and chloropicrin on charcoal—447

Donohue, Jerry and William N. Lipscomb. Crystal structure of hydrazinium dichloride, $N_2H_6Cl_2$—115

Drew, James B. (see Robinson, Lawrence B.)—417(L)

Duchesne, Jules and B. Rosen. Contribution to the study of electronic spectra of bent triatomic molecules—631

Eckstrom, H. C. (see Sharbaugh, A. H., Jr.)—47, 54
Edgell, Walter F. and Francis E. Kite. Raman effect of dichlorohexafluorocyclobutane—882(L)
Eidinoff, Maxwell Leigh. Method for extending study of metal ion-cation exchanger isotope fractionation—527(L)
—— Upper limit to the tritium content of ordinary water —416(L)
Elbe, Guenther von (see Bernard Lewis)—803
—— (see Blanc, M. V.)—798
Ellis, Joseph W. (see Glatt, Leonard)—880(L), 884(L)
Eltenton, G. C. Study of reaction intermediates by means of a mass spectrometer—455
Evans, Robert D., Harold R. Mighton, and Paul J. Flory. Thermodynamics of crystallization in high polymers—685(L)
Eyring, Henry (see Williams, Ferd E.)—289

Fano, Ugo. Possible contributing mechanism of catalysis—845(L)
Flory, Paul J. Thermodynamics of crystallization in high polymers. I. Crystallization induced by stretching—397
—— Thermodynamics of crystallization in high polymers. II. Simplified derivation of melting-point relationships —684(L)
—— (see Evans, Robert D.)—685(L)
Fox, R. E. and J. A. Hipple. Effect of temperature on the mass spectra of hydrocarbons—208(L)
Frost, Arthur A. and Milton Tamres. Potentiometric secular equation computer—383

Gallaway, W. S. (see Cleveland, Forrest)—742
Garrison, Warren M. On the decomposition of organic compounds by ionizing radiations—613(L)
—— On the polymerization of unsaturated hydrocarbons by ionizing radiations—78(L)
Ghormley, John A. (see Allen, Augustine O.)—208(L)
Gilman, T. S. (see Hildebrand, J. H.)—229
Glatt, Leonard and Joseph W. Ellis. Infra-red dichroism involving hydrogen bonds—880(L)
—— **and Joseph W. Ellis.** Infra-red dichroism in aligned polythene and "parowax"—884(L)
Glockler, George and John F. Haskin. Raman tube filters —759(L)
—— **and Jo-Yun Tung.** Polarization of Raman lines—112(L)
Gordy, Walter. Dependence of bond order and of bond energy upon bond length—305
—— Re-evaluation of the covalent radii of some of the elements—81
Graff, Jacob (see Kirshenbaum, Isidor)—440
Griffing, Virginia. Size and vibration frequency of the excited benzene molecule—421
Guest, P. G. (see M. V. Blanc)—798
Guth, Eugene (see James, Hubert M.)—669

Haayman, P. W. (see Verwey, E J.)—174, 181
Hainer, R. M. and Gilbert W. King. Asymmetric rotor. V. An analysis of the 3.7-μ band of H_2S by punched-card techniques—89
Haines, R. S. (see McIntosh, R.)—17
—— **and R. McIntosh.** Length changes of activated carbon rods caused by adsorption of vapors—28
Haissinsky, M. Formation of per-compounds in relation to electronegativities—152(L)
Halford, J. O. Comparative thermodynamic properties of the restricted rotator and the harmonic oscillator—364
—— Restricted rotator thermodynamic properties from the old quantum theory—645
Halford, Ralph S. (see Carpenter, Gene B.)—99
Halsey, George and Hugh S. Taylor. Adsorption of hydrogen on tungsten powders—624
Halverson, Frederick and Van Zandt Williams. Infra-red spectrum of ketene—552
Halverson, R. R. (see Richardson, J. M.)—785
Harker, D. and J. S. Kasper. Phases of Fourier coefficients directly from crystal diffraction data—882(L)
Harkins, W. D. (see Mattoon, R. W.)—209(L)
—— (see Stearns, R. S.)—496
——, **R. W. Mattoon, and R. Mittelmann.** New type of micelle: Soap with alcohol, amine, or other polar-nonpolar molecules—763(L)
Harp, W. R. and R. S. Rasmussen. Infra-red absorption spectrum and vibrational frequency assignment of ketene—778
Harris, G. M. and A. W. Tickner. Detection of free radicals in hydrogen atom reactions—686(L)
Haskin, John F. (see Glockler, George)—759(L)
Herrera, Carlos Gomez (see Villaseca, Luis Brú)—152(L)
Herzberg, G. (see Bernstein, H. J.)—77(L)
Hildebrand, J. H. Entropy of solution of molecules of different size—225
—— Forces between tetrahalide molecules—727
—— **and T. S. Gilman.** Comments on the "Hildebrand Rule"—229
Hill, Terrell L. Statistical mechanics of multimolecular adsorption. III. Introductory treatment of horizontal interactions. Capillary condensation and hysteresis—767
—— (see Hunt, R. E.)—111(L)
Hipple, J. A. (see Fox, R. E.)—208(L)
Hoober, D. (see Karle, Lugoski I.)—765(L)
Horwitz, William (see Crawford, Bryce L.)—268
Hovorka, Frank (see Bugosh, John)—592
Huber, Paul W. and Arthur Kantrowitz. Heat-capacity lag measurements in various gases—275
Huffman, H. M. (see Scott, D. W.)—565
Huggins, Maurice L. Erratum: Lattice energies, equilibrium distances, compressibilities, and characteristic frequencies of alkali halide crystals—212(L)
Humphrey, George L. and Richard M. Badger. Absorption spectrum of ozone in the visible—794
Hunt, R. E. and Terrell L. Hill. Simplified method of calculating absorbed intensity in photometric experiments—111(L)

James, Hubert M. Statistical properties of networks of flexible chains—651

—— **and Eugene Guth.** Theory of the increase in rigidity of rubber during cure—669
Johnston, H. L. (see Daunt, J. G.)—759(L)

Kahn, Allan (see J. D. LeRoy)—816
Kantrowitz, Arthur (see Huber, Paul W.)—275
Kaplan, Lewis D. Absorption spectrum of carbon dioxide from 14 to 16 microns—809
Karle, I. Lugoski (see Karle, J.)—764(L)
——, **D. Hoober, and J. Karle.** Improved microphotometer trace of radially symmetric patterns—765(L)
Karle, J. Contribution of restricted rotation to electron scattering by gases—202
—— (see Karle, I. Lugoski)—765(L)
—— **and L. O. Brockway.** Interpretation of electron diffraction patterns from hydrocarbon films—213
—— **and I. Lugoski Karle.** Objective for studying electron diffraction by gases—764(L)
Kasper, J. S. (see Harker, D.)—882(L)
Kaufman, H. S. and H. Mark. X-ray examination of cyclooctatetraene—414(L)
Kavanau, J. L. Relations between carbon-carbon bond energy, order, and interatomic distance—77(L)
Keyes, Frederic G. Thermodynamic properties of water substance 0° to 150°C—602
King, Gilbert W. Asymmetric rotor. IV. An analysis of the 8.5-μ band of D_2O by punched-card techniques—85
—— Asymmetric rotor. VI. Calculation of higher energy levels by means of the correspondence principle—820
—— (see Hainer, R. M.)—89
Kirkwood, John G. Erratum: Statistical mechanics of transport processes. II. Transport in gases—155(L)
—— Statistical mechanical theory of transport processes. II. Transport in gases—72
Kirshenbaum, Isidor, James S. Smith, Thomas Crowell, Jacob Graff, and Robert McKee. Separation of the nitrogen isotopes by the exchange reaction between ammonia and solutions of ammonium nitrate—440
Kite, Francis E. (see Edgell, Walter F.)—882(L)
Klevens, H. B. (see Platt, John R.)—598
Kolthoff, I. M. (see Shapiro, I.)—41
Kovács and A. Budó. On theory of accidental predissociation—166
Kraus, C. A. (see Sharbaugh, A. H., Jr.)—47, 54
Kuhn, Hans. Restricted bond rotation and shape of unbranched saturated hydrocarbon chain molecules—843(L)

Laidler, Keith J. Mechanism of processes initiated by excited atoms. III. Photo-sensitized hydrocarbon reactions—712
Lawson, A. W. On simple binary solid solutions—831
LeRoy, J. D. and Allan Kahn. Mercury ($^3P_1$) photosensitized hydrogenation of ethylene—816
Lewis, Bernard and Guenther von Elbe. Ignition of explosive gas mixtures by electric sparks. II. Theory of the propagation of flame from an instantaneous point source of ignition—803
—— (see Blanc, M. V.)—798
Libby, W. F. Erratum: "Vibrational frequencies of the isotopic water molecules; equilibria with the isotopic hydrogens"—339(L)
Lipscomb, William N. (see Donohue, Jerry)—115
Livingston, H. K. Relationship between the Brunauer-Emmett-Teller adsorption isotherm and the new isotherm of Jura and Harkins—617
Loebenstein, W. V. and V. R. Deitz. Magnitude of the experimental error in the adsorption of nitrogen at 78 degrees K on various surfaces—687(L)

McBain, James W. and Sullivan S. Marsden, Jr. Non-ionic detergents as association colloids giving long x-ray spacings in aqueous solution—211(L)
McFee, Raymond H. Foreign ion rejection in the growth of sodium chloride single crystals from the melt—856
McIntosh, R., R. S. Haines, and G. C. Benson. Effect of physical adsorption on the electrical resistance of activated carbon—17
—— (see Haines, R. S.)—28
McKee, Robert. (see Kirshenbaum, Isidor)—440
McMillan, W. G. Multilayer gas adsorption on composite surfaces—390
Makai, E. (see Szigeti, G.)—881(L)
Mark, H. (see Kaufman, H. S.)—414(L)
Marsden, Sullivan S. (see McBain, James W.)—211(L)
Mattoon, R. W. (see Harkins, W. D.)—763(L)
——, **R. S. Stearns, and W. D. Harkins.** Structure for soap micelles as indicated by a previously unrecognized x-ray diffraction band—209(L)
Mayer, Joseph E. Integral equations between distribution functions of molecules—187
—— **and William Band.** On the quantum correction for thermodynamic equilibrium—141
Mayer, Maria Goeppert (see Bigeleisen, Jacob)—261
Meister, Arnold G. and Forrest F. Cleveland. Nondegenerate vibrations of dimethylacetylene, diacetylene, and dimethyldiacetylene—349
Mellor, D. P. On the possibility of a chemical synthesis of diamond—525(L)
Mighton, Harold R. (see Evans, Robert D.)—685(L)
Miller, A. R. Statistical mechanics of binary mixtures—513
Mittelmann, R. (see Harkins, W. D.)—763(L)
Moffitt, W. E. (see Coulson, C. A.)—151(L)
Montroll, Elliott W. Dynamics of a square lattice—575
Morrison, J. A. (see Szasz, G. J.)—562
Murray, M. J. (see Cleveland, Forrest)—742

Nagy, E. (see Szigeti, G.)—881(L)

Ogg, Richard A., Jr. Isotopic nitrogen exchange between nitrogen pentoxide and dioxide—613(L)
—— Mechanism of nitrogen pentoxide decomposition—337(L)
—— (see Williams, Russell R., Jr.)—691, 696
Oppenheimer, Hans (see Stearns, Richard S.)—496

Pace, E. L. Approximate product rule for the E_g and E_u frequencies of the X_2Y_6 molecule—528(L)
—— (see Rank, D. H.)—39

—— (see Szasz, G. J.)—562
Parshad, R. Formula to detect association in liquids—761(L)
—— Propagation of ultrasonic waves through liquid mixtures and the dynamics of their molecular interaction—418(L)
Pease, Robert N. (see Tanford, Charles)—431, 861
Penner, S. S. and S. Sherman. Heat flow through composite cylinders—569
Pitzer, Kenneth S. and Edgar F. Westrum. Nature of the hydrogen bond in KHF_2—526(L)
Platt, John R. Influence of neighbor bonds on additive bond properties in paraffins—419(L)
——, **H. B. Klevens, and G. W. Schaeffer.** Absorption spectrum of borazole in the vacuum ultraviolet—598
Plyler, Earle K. Prism spectrometry from 24 to 37 microns 885(L)
Price, W. C. Structure of diborane—614(L)
Prigogine, I. and R. Defay. On the number of independent constituents and the phase rule—614(L)
Probst, R. E. (see Daunt, J. G.)—759(L)

Rank, D. H. and E. L. Pace. Raman spectrum of hexafluoroethane—39
Rasmussen, R. S. and R. Robert Brattain. Infra-red absorption spectra of the C_2 to C_4 mono-olefins and of 2-methyl-2-butene—120
—— **and R. Robert Brattain.** Infra-red absorption spectra of some C_4 and C_5 dienes—131
——, **R. Robert Brattain, and P. S. Zucco.** Infra-red absorption spectra of some octenes—135
—— (see W. R. Harp)—778
Reber, R. K. and G. F. Boeker. Magnetic susceptibilities of the vapors of benzene and carbon tetrachloride—508
Redlick, O. and A. T. Kister. On the thermodynamics of non-electrolyte solutions and its technical applications. III. Systems with associated components—849
Rice, O. K. Activation in unimolecular reactions—689(L)
—— Effect of pressure on surface tension—333
—— Erratum: On the behavior of pure substances near the critical point—615(L)
—— Note on the relation between entropy and enthalpy of solution—875
—— On the behavior of pure substances near the critical point—314
Richardson, J. M., A. B. Arons, and R. R. Halverson. Hydrodynamic properties of sea water at the front of a shock wave—785
Robinson, Lawrence B. Note on a proposed interpretation of the zeta-potential—113(L)
—— **and James B. Drew.** Application of radioactive isotopes to the problem of diffusion of electrolytes in aqueous solutions—417(L)
Romeijn, F. C. (see Verwey, E. J.)—174, 181
Rosen, B. (see Duchesne, Jules)—631
Rundle, R. E. Halogen-halogen distances in halogen-polymer complexes—880(L)

Saibel, Edward. Time effect in the fracture of glass and other materials—760(L)
Saier, Eleanor L. (see Coggeshall. Norman D.)—65
Schaeffer, G. W. (see Klevens, H. B.)—598
Schmelzer, C. (see Sharbaugh, A. H., Jr.)—47
Scott, D. W., Guy Waddington, J. C. Smith, and H. M. Huffman. Heat capacity of benzene vapor. The contribution of anharmonicity—565
Shapiro, I. and I. M. Kolthoff. Studies on aging of precipitates and coprecipitation. XXXIX. Low temperature conductivity of silver bromide—41
Sharbaugh, A. H., Jr., C. Schmelzer, H. C. Eckstrom, and C. A. Kraus. Dielectric behavior of solutions of electrolytes in solvents of low dielectric constant. I. A calorimetric method for measuring losses—47
——, **H. C. Eckstrom, and C. A. Kraus.** Dielectric behavior of solutions of electrolytes in solvents of low dielectric constant. II. Dielectric absorption—54
Sherman, S. (see Penner, S. S.)—569
Simon, Eric (see Stearns, Richard S.)—496
Simpson, D. M. (see Sutherland, G. B. B. M.)—153(L)
Simpson, William T. Dye sensitization of photographic emulsions and the triplet state—414(L)
Singer, Seymour J. On the concentration dependence of the rates of sedimentation and diffusion of macromolecules in solution. Preliminary—341
Smith, J. C. (see Scott, D. W.)—565
Smith, James S. (see Kirshenbaum, Isidor)—440
Smith, W. MacF. and F. W. Southam. Dependence of quenching efficiency on temperature—845(L)
Smith, Wendell V. and Herbert N. Campbell. Detection of radioactive persulfate fragments in emulsion polymerized styrene—338(L)
Smyth, C. P. (see Benesi, H. A.)—337(L)
Southam, F. W. (see W. MacF. Smith)—845(L)
Stearns, R. S. (see Mattoon, R. W.)—209(L)
——, **Hans Oppenheimer, Eric Simon, and William D. Harkins.** Solubilization by solutions of long-chain colloidal electrolytes—496
Stevenson, D. P. On the mass spectra of hydrogen and deuterium—409
Sugarman, Nathan. Determination of the ranges of the fission fragments emitting delayed neutrons. Chemical identification of the 4.51-sec. delayed neutron activity—544
—— (see Arnold, James R.)—703
Sutherland, G. B. B. M. and D. M. Simpson. Theoretical interpretation of vibration frequencies of paraffinic hydrocarbons—153(L)
Sutton, L. E. (see Cottrell, T. L.)—685(L)
Szasz, G. J. (see Aston, J. G.)—560
——, **J. A. Morrison, E. L. Pace, and J. G. Aston.** Thermal properties of cyclopentane and its use as a standard substance in low temperature thermal measurements—562
Szigeti, G., E. Nagy, and E. Makai. Spectroscopic evidence for activation of fluorescence by high valency manganese ions—881(L)

Tamres, Milton (see Frost, Arthur A.)—383
Tanford, Charles. Theory of burning velocity. I. Temperature and free radical concentrations near the flame front, relative importance of heat conduction and diffusion—433

—— **and Robert N. Pease.** Equilibrium atom and free radical concentrations in carbon monoxide flames and correlation with burning velocities—431
—— **and Robert N. Pease.** Theory of burning velocity. II. Square root law for burning velocity—861
Taylor, Hugh S. (see Halsey, George)—624
Taylor, William J. Average square length and radius of unbranched long-chain molecules with restricted internal rotation—412
Telang, M. S. Determination of molecular weights from the activation energy for viscous flow of liquids—844(L)
—— On the frequency factor in the viscosity-temperature relationship of liquids—885(L)
—— Temperature dependence of viscosities of liquids and activation energy—525(L)
Thorndike, A. M. Experimental determination of the intensities of infra-red absorption bands. III. Carbon dioxide, methane, and ethane—868
——, **A. J. Wells, and E. Bright Wilson, Jr.** Experimental determination of intensities of infra-red absorption bands. II. Measurements on ethylene and nitrous oxide —157
Tickner, A. W. (see Harris, G. M.)—686(L)
Tung, Jo-Yun (see Glockler, George)—112(L)

Valatin, J. G. Erratum: On the dissociation energies of CO, N_2, NO, and CN—336(L)
Verwey, E. J., P. W. Haayman, and F. C. Romeijn. Physical properties and cation arrangement of oxides with spinel structures. I. Cation arrangement in spinels—174
——, **P. W. Haayman, and F. C. Romeijn.** Physical properties and cation arrangement of oxides with spinel structures. II. Electronic conductivity—181
Villaseca, Luis Brú and Carlos Gomez Herrera. Electrolytic behavior in the presence of a tension impulsion—152(L)

Waddington, Guy (see Scott, D. W.)—565
Walsh, A. D. Formation of per-compounds in relation to electronegativities—688(L)
Waring, Charles E. and Paul Becher. "Structure" in liquids and the relation between the parameters of the Arrhenius equation for reactions in the condensed phase—488
Weissler, Alfred. Sound velocity and the temperature change of molecular association in water—210(L)
Weller, Sol. Chemisorption of gases—336(L)
Wells, A. J. (see Thorndike, A. M.)—157
West, C. D. Structure-optical studies. I. X-ray diffraction by addition compounds of halogens with hydrophilic organic polymers—689(L)
West, W. and B. H. Carroll. Photo-conductivity in photographic systems—529
Westheimer, F. H. Calculation of the energy of activation for the racemization of 2,2′-dibromo-4,4′-dicarboxydiphenyl—252
Westrum, Edgar F. (see Pitzer, Kenneth S.)—526(L)
Wiener, Harry. Influence of interatomic forces on paraffin properties—766(L)
Williams, Ferd E. and Henry Eyring. Mechanism of the luminescence of solids—289
Williams, Russell R., Jr. and Richard A. Ogg, Jr. Kinetics of the photolysis of methyl iodide and the hydrogen halides. I. Photolysis of hydrogen iodide in the presence of iodine, hydrogen bromide, and hydrogen chloride—691
—— **and Richard A. Ogg, Jr.** Kinetics of the photolysis of methyl iodide and the hydrogen halides. II. Photolysis of methyl iodide in the presence of iodine and the hydrogen halides—696
Williams, Van Zandt. Infra-red spectra of monomeric formic acid and its deuterated forms. I. High frequency region—232
—— Infra-red spectra of monomeric formic acid and its deuterated forms. II. Low frequency region (2200–800 cm^{-1})—243
—— (see Halverson, Frederick)—552
Wilson, Earl A., Jr. and Paul C. Cross. Absorption by hydrogen sulfide in the 3.5μ–4.5μ region—687(L)
Wilson, E. Bright, Jr. Note on a form of the secular equation for molecular vibrations—736
—— (see Thorndike, A. M.)—157
Wood, Scott E. Entropy of mixing of binary liquid mixtures —358
Wrinch, Dorothy (see Booth, Andrew D.)—416(L)

Yanwich, Peter E. Chemical forms assumed by C^{14} produced by neutron irradiation of beryllium nitride—374
Yeager, Ernest (see Bugosh, John)—592

Zucco, P. S. (see Rasmussen, R. S.)—135

Analytic Subject Index to Volume 15

References with (L) are to Letters to the Editor

Absorption Spectra

Experimental determination of the intensities of infra-red absorption bands. II. Measurements on ethylene and nitrous oxide, A. M. Thorndike, A. J. Wells, and E. Bright Wilson, Jr.—157

Experimental determination of the intensities of infra-red absorption bands. III. Carbon dioxide, methane, and ethane, A. M. Thorndike—868

Infra-red spectrum and depolarization factors of the raman lines of spiropentane and the Raman and infra-red spectra of 1,1-dimethylcyclopropane, 1-methylcyclobutene, and methylenecyclobutene, Forrest F. Cleveland, M. J. Murray, and W. S. Gallaway—742

Of ozone in the visible, George L. Humphrey and Richard M. Badger—794

On the theory of accidental predissociation, J. Kovács and A. Budó—166

Pressure broadening in the infra-red and optical collision diameters, Norman D. Coggeshall and Eleanor L. Saier—65

Structure of diborane, W. C. Price—614(L)

Theoretical interpretation of vibration frequencies of paraffinic hydrocarbons, G. B. B. M. Sutherland and D. M. Simpson—153(L)

Infra-Red of

CO_2 from 14 to 16 microns, Lewis D. Kaplan—809

Cyclohexane, solid II, solid I, liquid and vapor in the range from 3 to 15μ, Gene B. Carpenter and Ralph S. Halford—99

Dienes, of C_4 and C_5, R. S. Rasmussen and R. Robert Brattain—131

D_2O, an analysis of the 8.5-μ band by punched-card techniques, Gilbert W. King—85

H_2S, an analysis of the 3.7μ band by punched-card techniques, R. M. Hainer and Gilbert W. King—89

H_2S in the 3.5μ to 4.5μ region, Earl A. Wilson, Jr. and Paul C. Cross—687(L)

Ketene; infra-red absorption spectrum and vibrational frequency assignment of, W. R. Harp and R. S. Rasmussen—778

Monomeric formic acid and its deuterated forms. I. High frequency region, Van Zandt Williams—232

Monomeric formic acid and its deuterated forms. II. Low frequency region (2200–800 cm^{-1}), Van Zandt Williams—243

Mono-olefins from C_2 to C_4 and of 2-methyl-2-butane, R. S. Rasmussen and R. Robert Brattain—120

Octenes, R. S. Rasmussen, R. Robert Brattain, and P. S. Zucco—135

Micro-Wave of

Isothiocyanic acid, C. I. Beard and B. P. Bailey—762(L)

Spectrum of

Ketene, Frederick Halverson and Van Zandt Williams—552

Ultraviolet of

Borazole, in the vacuum ultraviolet; absorption spectrum of, J. R. Platt, H. B. Klevens, and G. W. Schaeffer—598

Nitric oxide; ultraviolet absorption spectrum of, H. J. Bernstein and G. Herzberg—77(L)

SO_2, SeO_2, and TeO_2, Jules Duchesne and B. Rosen—631

Adsorption (see **Surface Phenomena**)

Apparatus and Methods

Application of ultrasonic waves to the study of electrolytic solutions, John Bugosh, Ernest Yeager, and Frank Hovorka—592

Asymmetric rotor. IV. An analysis of the 8.5-μ band of D_2O by punched-card techniques, Gilbert W. King—85

Asymmetric rotor. V. An analysis of the 3.7-μ band of H_2S by punched-card techniques, R. M. Hainer and Gilbert W. King—89

Calculation of the equilibrium composition of systems of many constituents, Stuart R. Brinkley, Jr.—107

Detection of free radicals in hydrogen atom reactions, G. M. Harris and A. W. Tickner—686(L)

Effect of high mechanical stress on certain solid explosives, P. W. Bridgman—311

Improved microphotometer trace of radially symmetric patterns, I. Lugoski Karle, D. Hoober, and J. Karle—765(L)

Interpretation of electron diffraction patterns from hydrocarbon films, J. Karle and L. O. Brockway—213

New refinement technique for x-ray structure analysis, Andrew D. Booth—415(L)

Objective method for studying electron diffraction by gases, J. Karle and I. Lugoski Karle—764(L)

On a method of correcting for incomplete thermal isolation in measurements of small heat capacities, J. G. Aston and G. J. Szasz—560

Patterson-Harker maps of molecular crystals, A. D. Booth and Dorothy Wrinch—416(L)

Photoelectric intensity measurements of Raman spectra, Jen-Yuan Chien and Paul Bender—376

Potentiometric secular equation computer, Arthur A. Frost and Milton Tamres—383

Raman apparatus for quantitative polarization measurements, Bryce L. Crawford, Jr. and William Horwitz—268

Raman tube filters, George Glockler and John F. Haskin 759(L)

Separation of the isotopes He^3 and He^4 in the liquid phase, J. G. Daunt, R. E. Probst, and H. L. Johnston—759(L)

Apparatus and Methods (*continued*)
Simplified method of calculating absorbed intensity in photometric experiments, R. E. Hunt and Terrell L. Hill—111(L)
Study of reaction intermediates by means of a mass spectrometer, G. C. Eltenton—455

Catalysis
Possible contributing mechanism of catalysis, Ugo Fano —845(L)

Chemical Reactions (see **Kinetics of Reactions**)

Conductance
Effect of physical adsorption on the electrical resistance of activated carbon, R. McIntosh, R. S. Haines, and G. C. Benson—17
Electrolytic behavior in the presence of a tension impulsion, Luis Brú Villaseca and Carlos Gomez Herrera —152(L)
Photo-conductivity in photographic systems, W. West and B. H. Carroll—529
Studies on aging of precipitates and coprecipitation XXXIX. Low temperature conductivity of silver bromide, I. Shapiro and I. M. Kolthoff—41

Crystal Structure
Derivative crystal structures, M. J. Buerger—1
Of hydrazinium dichloride, $N_2H_6Cl_2$, Jerry Donohue and William N. Lipscomb—115
Patterson-Harker maps of molecular crystals, A. D. Booth and Dorothy Wrinch—416(L)
Physical properties and cation arrangement of oxides with spinel structures. I. Cation arrangement in spinels, E. J. W. Verwey and E. L. Heilman—174
Physical properties and cation arrangement of oxides with spinel structures. II. Electronic conductivity, E. J. W. Verwey, P. W. Haayman, and F. C. Romeijn —181
Structure-optical studies. I. X-ray diffraction by addition compounds of halogens with hydrophilic organic polymers, C. D. West—689(L)
X-ray examination of cyclooctatetraene, H. S. Kaufman, I. Fankuchen, and H. Mark—414(L)

Crystalline State
Dynamics of a square lattice, Elliott W. Montroll—575
Experimental contribution to the problem of diamond synthesis, P. W. Bridgman—92
Foreign ion rejection in the growth of sodium chloride single crystals from the melt, Raymond H. McFee— 856
Lattice energies, equilibrium distances, compressibilities, and characteristic frequencies of alkali halide crystals, Erratum, Maurice L. Huggins—212(L)
Mechanism of the luminescence of solids, Ferd E. Williams and Henry Eyring—289
Motions of molecules in condensed systems. III. The infra-red spectra for cyclohexane solid II, solid I, liquid and vapor in the range from 3 to 15μ, Gene B. Carpenter and Ralph S. Halford—99
Nature of the hydrogen bond in KHF_2, Kenneth S. Pitzer and Edgar F. Westrum—526(L)
On the possibility of a chemical synthesis of diamond, D. P. Mellor—525(L)
On simple binary solid solutions, A. W. Lawson—831
Re-evaluation of the covalent radii of some of the elements, Walter Gordy—81
Selection rules for ionic crystals, Lucienne Couture— 153(L)
Studies on aging of precipitates and coprecipitation XXXIX. Low temperature conductivity of silver bromide, I. Shapiro and I. M. Kolthoff—41
Thermodynamics of crystallization in high polymers. I. Crystallization induced by stretching, Paul J. Flory —397

Deuterium (see **Isotopes**)

Dielectrics
Dielectric behavior of solutions of electrolytes in solvents of low dielectric constant. I. A calorimetric method for measuring losses, A. H. Sharbaugh, Jr., C. Schmelzer, H. C. Eckstrom, and C. A. Kraus—47
Dielectric behavior of solutions of electrolytes in solvents of low dielectric constant. II. Dielectric absorption, A. H. Sharbaugh, Jr., H. C. Eckstrom, and C. A. Kraus—54

Diffusion
Application of radioactive isotopes to the problem of diffusion of electrolytes in aqueous solutions, Lawrence B. Robinson and James B. Drew—417(L)
Measurement of Na^+ ion diffusion by means of radiosodium, Arthur W. Adamson—762(L)

Elasticity
Length changes of activated carbon rods caused by adsorption of vapors, R. S. Haines and R. McIntosh—28
Time effect in the fracture of glass and other materials, Edward Saibel—760(L)

Electrochemistry
Note on a proposed interpretation of the zeta-potential, Lawrence B. Robinson 113(L)

Electron Diffraction
Contribution of restricted rotation to electron scattering by gases, J. Karle—202
Improved microphotometer trace of radially symmetric patterns, I. Lugoski Karle, D. Hoober, and J. Karle— 765(L)
Interpretation of electron diffraction patterns from hydrocarbon films, J. Karle and L. O. Brockway—213

Electron Diffraction
Objective method for studying electron diffraction by gases, J. Karle and I. Lugoski Karle—764(L)

Equation of State
Equation of state for gases at extremely high pressures and temperatures from the hydrodynamic theory of detonation, Melvin A. Cook—518
For gases at extremely high pressure, Stuart R. Brinkley, Jr.—113(L)

Energy Transfer
Decomposition of solid barium nitrate by fast electrons, Augustine O. Allen and John A. Ghormley—208(L)

Energy Transfer (*continued*)
Dependence of quenching efficiency on temperature, W. MacF. Smith and F. W. Southam—845(L)
Heat-capacity lag measurements in various gases, Paul W. Huber and Arthur Kantrowitz—275
Mechanism of the luminescence of solids, Ferd E. Williams and Henry Eyring—289
Mechanism of processes initiated by excited atoms. III. Photo-sensitized hydrocarbon reactions, Keith J. Laidler—712
Pressure broadening in the infra-red and optical collision diameters, Norman D. Coggeshall and Eleanor L. Saier—65
Statistical mechanical theory of transport processes. II. Transport in gases, John G. Kirkwood—72

Fluorescence
Mechanism of the luminescence of solids, Ferd E. Williams and Henry Eyring—289

Free Rotation (see **Rotation**)

Glasses
Time effect in the fracture of glass and other materials, Edward Saibel—760(L)

Heat Conductivity
Heat flow through composite cylinders, S. S. Penner and S. Sherman—569

Heat Capacity (see **Thermodynamic Properties**)

High Pressures
Effect of high mechanical stress on certain solid explosives, P. W. Bridgman—311
Equation of state for gases at extremely high pressures and temperatures from the hydrodynamic theory of detonation, Melvin A. Cook—518
Experimental contribution to the problem of diamond synthesis, P. W. Bridgman—92
Hydrodynamic properties of sea water at the front of a shock wave, J. M. Richardson, A. B. Arons, and R. R. Halverson—785
On the equation of state for gases at extremely high pressure, Stuart R. Brinkley, Jr.—113(L)

Hindered Rotation (see **Rotation**)

Infra-Red Spectra (see **Absorption Spectra**)

Intensities of Spectra
Absorption spectrum of carbon dioxide from 14 to 16 microns, Lewis D. Kaplan—809
Experimental determination of the intensities of infra-red absorption bands. II. Measurements on ethylene and nitrous oxide, A. M. Thorndike, A. J. Wells, and E. Bright Wilson, Jr.—157
Experimental determination of the intensities of infra-red absorption bands. III. Carbon dioxide, methane, and ethane, A. M. Thorndike—868
Simplified method of calculating absorbed intensity in photometric experiments, R. E. Hunt and Terrell L. Hill—111(L)

Isotopes
Calculation of equilibrium constants for isotopic exchange reactions, Jacob Bigeleisen and Maria Goeppert Mayer—261
Difference in mass spectra of H_2 and D_2, Norman Bauer and J. Y. Beach—150(L)
Isotopic nitrogen exchange between nitrogen pentoxide and dioxide, Richard A. Ogg, Jr.—613(L)
Method for extending study of metal ion-cation exchanger isotope fractionation, Maxwell Leigh Eidinoff 527(L)
On the mass spectra of hydrogen and deuterium, D. P. Stevenson—409
Separation of the isotopes He^3 and He^4 in the liquid phase, J. G. Daunt, R. E. Probst, and H. L. Johnston —759(L)
Separation of the nitrogen isotopes by the exchange reaction between ammonia and solutions of ammonium nitrate, Isidor Kirshenbaum, James S. Smith, Thomas Crowell, Jacob Graff, and Robert McKee—440
Short-lived isomeric states of Se^{83} and Ge^{77}, James R. Arnold and Nathan Sugarman—703
Upper limit to the tritium content of ordinary water, Maxwell Leigh Eidinoff—416(L)
Vibrational frequencies of the isotopic water molecules; equilibria with the isotopic hydrogen, Erratum, W. F. Libby—339(L)

Kinetics of Reactions
Activation in unimolecular reactions, O. K. Rice—689(L)
Calculation of the energy of activation for the racemization of 2,2′-dibromo-4,4′-dicarboxydiphenyl, F. H. Westheimer—252
Decomposition of solid barium nitrate by fast electrons, Augustine O. Allen and John A. Ghormley—208(L)
Dependence of quenching efficiency on temperature, W. MacF. Smith and F. W. Southam—845(L)
Detection of free radicals in hydrogen atom reactions, G. M. Harris and A. W. Tickner—686(L)
Detection of radioactive persulfate fragments in emulsion polymerized styrene, Wendell V. Smith and Herbert N. Campbell—338(L)
Effect of high mechanical stress on certain solid explosives, P. W. Bridgman—311
Equilibrium atom and free radical concentrations in carbon monoxide flames and correlation with burning velocities, Charles Tanford and Robert N. Pease—431
Ignition of explosive gas mixtures by electric sparks. I. Minimum ignition energies and quenching distances of mixtures of methane, oxygen, and inert gases, M. V. Blanc, P. G. Guest, Guenther von Elbe, and Bernard Lewis—798
Ignition of explosive gas mixtures by electric sparks. II. Theory of the propagation of flame from an instantaneous point source of ignition, Bernard Lewis and Guenther von Elbe—803
Isotopic nitrogen exchange between nitrogen pentoxide and dioxide, Richard A. Ogg, Jr.—613(L)
Kinetics of the photolysis of methyl iodide and the hydrogen halides. I. Photolysis of hydrogen iodide in the presence of iodine, hydrogen bromide, and hydrogen chloride, Russell R. Williams, Jr. and Richard A. Ogg, Jr.—691

Kinetics of Reactions (*continued*)
Kinetics of the photolysis of methyl iodide and the hydrogen halides. II. Photolysis of methyl iodide in the presence of iodine and the hydrogen halides, Russell R. Williams, Jr. and Richard A. Ogg, Jr.—696
Mechanism of nitrogen pentoxide decomposition, Richard A. Ogg, Jr.—337(L)
Mechanism of processes initiated by excited atoms. III. Photo-sensitized hydrocarbon reactions, Keith J. Laidler—712
On the decomposition of organic compounds by ionizing radiations, Warren M. Garrison—613(L)
On the polymerization of unsaturated hydrocarbons by ionizing radiations, Warren M. Garrison—78(L)
Possible contributing mechanism of catalysis, Ugo Fano—845(L)
Rate of adsorption of phosgene and chloropicrin on charcoal, Malcolm Dole—447
"Structure" in liquids and the relation between the parameters of the Arrhenius equation for reactions in the condensed phase, Charles E. Waring and Paul Becher—488
Study of reaction intermediates by means of a mass spectrometer, G. C. Eltenton—455
Theory of burning velocity. I. Temperature and free radical concentrations near the flame front, relative importance of heat conduction and diffusion, Charles Tanford—433
Theory of burning velocity. II. The square root law for burning velocity, Charles Tanford and Robert N. Pease—861

Large Molecules (see **Polymers**)

Liquids
Determination of molecular weights from the activation energy for viscous flow of liquids, M. S. Telang—844(L)
Effect of pressure on surface tension, O. K. Rice—333
Forces between tetrahalide molecules, J. H. Hildebrand—727
Formula to detect association in liquids, R. Parshad—761(L)
Hydrodynamic properties of sea water at the front of a shock wave, J. M. Richardson, A. B. Arons, and R. R. Halverson—785
Intermolecular forces and energies of vaporization of liquids, Sidney W. Benson—367
Motions of molecules in condensed systems. III. The infra-red spectra for cyclohexane solid II, solid I, liquid and vapor in the range from 3 to 15μ, Gene B. Carpenter and Ralph S. Halford—99
On the behavior of pure substances near the critical point, O. K. Rice—314
On the behavior of pure substances near the critical point, Erratum, O. K. Rice—615(L)
Pressure coefficient of viscosity, A. Bondi—527(L)
Propagation of ultrasonic waves through liquid mixtures and the dynamics of their molecular interaction, R. Parshad—418(L)
Separation of the isotopes He^3 and He^4 in the liquid phase, J. G. Daunt, R. E. Probst, and H. L. Johnston—759(L)
Sound velocity and the temperature change of molecular association in water, Alfred Weissler—210(L)
Temperature dependence of viscosities of liquids and activation energy, M. S. Telang—525(L)

Mass Spectra
Differences in mass spectra of H_2 and D_2, Norman Bauer and J. Y. Beach—150(L)
Effect of temperature on the mass spectra of hydrocarbons, R. E. Fox and J. A. Hipple—208(L)
On the mass spectra of hydrogen and deuterium, D. P. Stevenson—409
Study of reaction intermediates by means of a mass spectrometer, G. C. Eltenton—455

Magnetic Susceptibilities
Of the vapors of benzene and carbon tetrachloride, R. K. Reber and G. F. Boeker—508

Mechanics, Classical
Approximate product rule for the E_g and E_u frequencies of the X_2Y_6 molecule, E. L. Pace—528(L)
Dynamics of a square lattice, Elliott W. Montroll—575
Non-degenerate vibrations of dimethylacetylene, diacetylene, and dimethyldiacetylene, Arnold G. Meister and Forrest F. Cleveland—349
Note on the form of the secular equation for molecular vibrations—E. Bright Wilson, Jr.—736
Potentiometric secular equation computer, Arthur A. Frost and Milton Tamres—383
Theoretical interpretation of vibration frequencies of paraffinic hydrocarbons, G. B. B. M. Sutherland and D. M. Simpson—153(L)

Mechanics, Quantum
Absorption spectrum of carbon dioxide from 14 to 16 microns, Lewis D. Kaplan—809
Asymmetric roter. IV. An analysis of the 8.5-μ band of D_2O by punched-card techniques, Gilbert W. King—85
Asymmetric rotor. V. An analysis of the 3.7-μ band of H_2S by punched-card techniques, R. M. Hainer and Gilbert W. King—89
Asymmetric rotor. VI. Calculation of higher energy levels by means of the correspondence principle, Gilbert W. King—820
Calculation of the energy of activation for the racemization of 2,2′-dibromo-4,4′-dicarboxydiphenyl, F. H. Westheimer—252
On the quantum correction for thermodynamic equilibrium, Joseph E. Mayer and William Band—141
On the theory of accidental predissociation, J. Kovács and A. Budó—166
Potentiometric secular equation computer, Arthur A. Frost and Milton Tamres—383
Restricted rotator thermodynamic properties from the old quantum theory, J. O. Halford—645
Size and vibration frequency of the excited benzene molecule, Virginia Griffing—421

Mechanics, Statistical
Average square length and radius of unbranched long-chain molecules with restricted internal rotation, William J. Taylor—412
Calculation of equilibrium constants for isotopic exchange reactions, Jacob Bigeleisen and Maria Goeppert Mayer—261
Comments on the "Hildebrand Rule," J. H. Hildebrand and T. S. Gilman—229
Comparative thermodynamic properties of the restricted rotator and the harmonic oscillator, J. O. Halford—364
Effect of pressure on surface tension, O. K. Rice—333
Entropy of mixing of binary liquid mixtures, Scott E. Wood—358
Heat capacity of benzene vapor. The contribution of anharmonicity, D. W. Scott, Guy Waddington, J. C. Smith, and H. M. Huffman—565
Integral equations between distribution functions of molecules, Joseph E. Mayer—187
Intermolecular forces and energies of vaporization of liquids, Sidney W. Benson—367
Low temperature transport properties of gases. I. Helium, I. Amdur—482
On simple binary solid solutions, A. W. Lawson—831
On the behavior of pure substances near the critical point, O. K. Rice—314
On the behavior of pure substances near the critical point, Erratum, O. K. Rice—615(L)
On the quantum correction for thermodynamic equilibrium, Joseph E. Mayer and William Band—141
Statistical mechanics of binary mixtures, A. R. Miller—513
Statistical mechanics of multimolecular adsorption. III. Introductory treatment of horizontal interactions. Capillary condensation and hysteresis, Terrell L. Hill—767
Statistical mechanical theory of transport processes. II. Transport in gases, John G. Kirkwood—72
Statistical properties of networks of flexible chains, Hubert M. James—651
Theory of the increase in rigidity of rubber during cure, Hubert M. James and Eugene Guth—669
Thermodynamics of crystallization in high polymers. I. Crystallization induced by stretching, Paul J. Flory—397
Thermodynamics of crystallization in high polymers. II. Simplified derivation of melting-point relationships, Paul J. Flory—684(L)
Vibrational frequencies of the isotopic water molecules; equilibria with the isotopic hydrogen, Erratum, W. F. Libby—339(L)

Metals
Effect of physical adsorption on the electrical resistance of activated carbon, R. McIntosh, R. S. Haines, and G. C. Benson—17

Microwave (see **Absorption Spectra**)

Molecular Films (see **Surface Phenomena**)

Molecular Spectra (see **Absorption Spectra and Fluorescence**)

Molecular Structure and Constants
Approximate product rule for the E_g and E_u frequencies of the X_2Y_6 molecule, E. L. Pace—528(L)
Asymmetric rotor. IV. An analysis of the 8.5-μ band of D_2O by punched-card techniques, Gilbert W. King—85
Asymmetric rotor. V. An analysis of the 3.7-μ band of H_2S by punched-card techniques, R. M. Hainer and Gilbert W. King—89
Average square length and radius of unbranched long-chain molecules with restricted internal rotation, William J. Taylor—412
Bond energy relation for multiple bond, H. J. Bernstein—339(L)
Calculation of the energy of activation for the racemization of 2,2′-dibromo-4,4′-dicarboxydiphenyl, F. H. Westheimer—252
Comparative thermodynamic properties of the restricted rotator and the harmonic oscillator, J. O. Halford—364
Comments on the "Hildebrand Rule," J. H. Hildebrand and T. S. Gilman—229
Contribution of restricted rotation to electron scattering by gases, J. Karle—202
Dependence of bond order and of bond energy upon bond length, Walter Gordy—305
Determination of molecular weights from the activation energy for viscous flow of liquids, M. S. Telang—844(L)
Entropy of solution of molecules of different size, J. H. Hildebrand—225
Forces between tetrahalide molecules, J. H. Hildebrand—727
Formation of per-compounds in relation to electronegativities, M. Haissinsky—152(L)
Formation of per-compounds in relation to electronegativities, A. D. Walsh—688(L)
Heat capacity of benzene vapor. The contribution of anharmonicity, D. W. Scott, Guy Waddington, J. C. Smith, and H. M. Huffman—565
Heat capacities of liquids and vapors, Sidney W. Benson—866
Heat-capacity lag measurements in various gases, Paul W. Huber and Arthur Kantrowitz—275
Influence of interatomic forces on paraffin properties, Harry Weiner—766(L)
Influence of neighbor bonds on additive bond properties in paraffins, John R. Platt—419(L)
Infra-red absorption spectrum and vibrational frequency assignment of ketene, W. R. Harp and R. S. Rasmussen—778
Intermolecular forces and energies of vaporization of liquids, Sidney W. Benson—367
Lattice energies, equilibrium distances, compressibilities, and characteristic frequencies of alkali halide crystals, Erratum, Maurice L. Huggins—212(L)
Microwave spectrum and structure of isothiocyanic acid, C. I. Beard and B. P. Dailey—762(L)
Molecular association in hydrogen fluoride vapor, H. A. Benesi and C. P. Smyth—337(L)

Molecular Structure and Constants (*continued*)
Motions of molecules in condensed systems. III. The infra-red spectra for cyclohexane solid II, solid I, liquid and vapor in the range from 3 to 15μ, Gene B. Carpenter and Ralph S. Halford—99
Nature of the hydrogen bond in KHF_2, Kenneth S. Pitzer and Edgar F. Westrum—526(L)
Non-degenerate vibrations of dimethylacetylene, diacetylene, and dimethyldiacetylene, Arnold G. Meister and Forrest F. Cleveland—349
On the dissociation energies of CO, N_2, NO, and CN, Erratum, J. G. Valatin—336(L)
Pressure broadening in the infra-red and optical collision diameters, Norman D. Coggeshall and Eleanor L. Saier—65
Re-evaluation of the covalent radii of some of the elements, Walter Gordy—81
Relation between bond order and covalent bond distance, H. J. Bernstein—284
Relation between bond order and covalent bond distance, Addendum, H. J. Bernstein—688(L)
Relations between carbon-carbon bond energy, order, and interatomic distance, J. L. Kavanau—77(L)
Resonance energies from thermal data, T. L. Cottrell and L. E. Sutton—685(L)
Restricted bond rotation and shape of unbranched saturated hydrocarbon chain molecules, Hans Kuhn —843(L)
Simple potential functions for HF and $[F\text{-}H\cdots F]^-$, Mansel Davies—739
Size and vibration frequency of the excited benzene molecule, Virginia Griffing—421
Sound velocity and the temperature change of molecular association in water, Alfred Weissler—210(L)
Strain in non-tetrahedral carbon atoms, C. A. Coulson and W. E. Moffitt—151(L)
Structure of diborane, W. C. Price—614(L)
Theoretical interpretation of vibration frequencies of paraffinic hydrocarbons, G. B. B. M. Sutherland and D. M. Simpson—153(L)
Thermal properties of cyclopentane and its use as a standard substance in low temperature thermal measurements, G. J. Szasz, J. A. Morrison, E. L. Pace, and J. G. Aston—562

Phase Transitions
Forces between tetrahalide molecules, J. H. Hildebrand —727
Foreign ion rejection in the growth of sodium chloride single crystals from the melt, Raymond H. McFee—856
On the behavior of pure substances near the critical point, O. K. Rice—314
On the behavior of pure substances near the critical point, Erratum, O. K. Rice—615(L)

Photo-Chemistry
Dependence of quenching efficiency on temperature, W. MacF. Smith and F. W. Southam—845(L)
Dye sensitization of photographic emulsions and the triplet state, William T. Simpson—414(L)
Kinetics of the photolysis of methyl iodide and the hydrogen halides. I. Photolysis of hydrogen iodide in the presence of iodine, hydrogen bromide, and hydrogen chloride, Russell R. Williams, Jr. and Richard A. Ogg, Jr.—691
Kinetics of the photolysis of methyl iodide and the hydrogen halides. II. Photolysis of methyl iodide in the presence of iodine and the hydrogen halides, Russell R. Williams, Jr. and Richard A. Ogg, Jr.—696
Mechanism of processes initiated by excited atoms. III. Photo-sensitized hydrocarbon reactions, Keith J. Laidler—712
Mercury ($^3P_1$) photo-sensitized hydrogenation of ethylene, D. J. LeRoy and Allen Kahn—816

Photo-Conductivity
In photographic systems, W. West and B. H. Carroll—529

Polymers
Average square length and radius of unbranched long-chain molecules with restricted internal rotation, William J. Taylor—412
Detection of radioactive persulfate fragments in emulsion polymerized styrene, Wendell V. Smith and Herbert N. Campbell—338(L)
New type of micelle: Soap with alcohol, amine, or other polar-nonpolar molecules, W. D. Harkins, R. W. Mattoon, and R. Mittelman—763(L)
Non-ionic detergents as association colloids giving long x-ray spacings in aqueous solution, James W. McBain and Sullivan S. Marsden, Jr.—211(L)
On the concentration dependence of the rates of sedimentation and diffusion of macromolecules in solution. Preliminary, Seymour J. Singer—341
On the polymerization of unsaturated hydrocarbons by ionizing radiations, Warren M. Garrison—78(L)
On the possibility of a chemical synthesis of diamond, D. P. Mellor—525(L)
Solubilization by solutions of long-chain colloidal electrolytes, Richard S. Stearns, Hans Oppenheimer, Eric Simon, and William D. Harkins—496
Statistical properties of networks of flexible chains, Hubert M. James—651
Structure-optical studies. I. X-ray diffraction by addition compounds of halogens with hydrophilic organic polymers, C. D. West—689(L)
Structure for soap micelles as indicated by a previously unrecognized x-ray diffraction band, R. W. Mattoon, R. S. Stearns, and W. D. Harkins—209(L)
Theory of the increase in rigidity of rubber during cure, Hubert M. James and Eugene Guth—669
Thermodynamics of crystallization in high polymers. I. Crystallization induced by stretching, Paul J. Flory —397
Thermodynamics of crystallization in high polymers. II. Simplified derivation of melting-point relationships, Paul J. Flory—684(L)
Thermodynamics of crystallization in high polymers. III. Dependence of melting points of polyesters on molecular weight and composition, Robert D. Evans, Harold R. Mighton, and Paul J. Flory—685(L)

Predissociation
On the theory of accidental predissociation, J. Kovács and A. Budó—166

Radio Chemistry
Chemical forms assumed by C^{14} produced by neutron irradiation of beryllium nitride, Peter E. Yankwich—374
Decomposition of solid barium nitrate by fast electrons, Augustine O. Allen and John A. Ghormley—208(L)
Detection of radioactive persulfate fragments in emulsion polymerized styrene, Wendell V. Smith and Herbert N. Campbell—338(L)
Determination of the ranges of the fission fragments emitting delayed neutrons: chemical identification of the 4.51-sec. delayed neutron activity, Nathan Sugarman—544
Measurement of Na^+ ion diffusion by means of radiosodium, Arthur W. Adamson—762(L)
On the decomposition of organic compounds by ionizing radiations, Warren M. Garrison—613(L)
On the polymerization of unsaturated hydrocarbons by ionizing radiations, Warren M. Garrison—78(L)
Short-lived isomeric states of Se^{23} and Ge^{77}, James R. Arnold and Nathan Sugarman—703

Raman Spectra
Infra-red and depolarization factors of the Raman lines of spiropentane and the Raman and infra-red spectra of 1,1-dimethylcyclopropane, 1-methylcyclobutene, and methylenecyclobutene, Forrest F. Cleveland, M. J. Murray, and W. S. Gallaway—742
Non-degenerate vibrations of dimethylacetylene, diacetylene, and dimethyldiacetylene, Arnold G. Meister and Forrest F. Cleveland—349
Of hexafluoroethane, D. H. Rank and E. L. Pace—39
Photoelectric intensity measurements of Raman spectra, Jen-Yuan Chien and Paul Bender—376
Polarization of Raman lines, George Glockler and Jo-Yun Tung—112(L)
Raman apparatus for quantitative polarization measurements, Bryce L. Crawford, Jr. and William Horwitz—268
Raman tube filters, George Glockler and John F. Haskin—759(L)
Selection rules for ionic crystals, Lucienne Couture—153(L)

Rotation
Asymmetric rotor. IV. An analysis of the 8.5-μ band of D_2O by punched-card techniques, Gilbert W. King—85
Asymmetric rotor. V. An analysis of the 3.7-μ band of H_2O by punched-card techniques, R. M. Hainer and Gilbert W. King—89
Asymmetric rotor. VI. Calculation of higher energy levels by means of the correspondence principle, Gilbert W. King—820
Average square length and radius of unbranched long-chain molecules with restricted internal rotation, William J. Taylor—412
Comparative thermodynamic properties of the restricted rotator and the harmonic oscillator, J. O. Halford—364
Contribution of restricted rotation to electron scattering by gases, J. Karle—202
Restricted bond rotation and shape of unbranched saturated hydrocarbon chain molecules, Hans Kuhn—843(L)
Restricted rotator thermodynamic properties from the old quantum theory, J. O. Halford—645

Solutions (see also **Liquids**)
Application of radioactive isotopes to the problem of diffusion of electrolytes in aqueous solutions, Lawrence B. Robinson and James B. Drew—417(L)
Application of ultrasonic waves to the study of electrolytic solutions, John Bugosh, Ernest Yeager, and Frank Hovorka—592
Calculation of the equilibrium composition of systems of many constituents, Stuart R. Brinkley, Jr.—107
Dielectric behavior of solutions of electrolytes in solvents of low dielectric constant. I. A calorimetric method for measuring losses, A. H. Sharbaugh, Jr., C. Schmelzer, H. C. Eckstrom, and C. A. Kraus—47
Entropy of mixing of binary liquid mixtures, Scott E. Wood—358
Entropy of solution of molecules of different size, J. H. Hildebrand—225
Foreign ion rejection in the growth of sodium chloride single crystals from the melt, Raymond H. McFee—856
Measurement of Na^+ ion diffusion by means of radiosodium, Arthur W. Adamson—762(L)
Non-ionic detergents as association colloids giving long x-ray spacings in aqueous solution, James W. McBain and Sullivan S. Marsden, Jr.—211(L)
Note on a proposed interpretation of the zeta-potential, Lawrence B. Robinson—113(L)
On the concentration dependence of the rates of sedimentation and diffusion of macromolecules in solution. Preliminary, Seymour J. Singer—341
On simple binary solid solutions, A. W. Lawson—831
On the thermodynamics of non-electrolyte solutions and its technical applications. III. Systems with associating components, O. Redlich and A. T. Kister—849
Solubilization by solutions of long-chain colloidal electrolytes, Richard S. Stearns, Hans Oppenheimer, Eric Simon, and William D. Harkins—496
Structure for soap micelles as indicated by a previously unrecognized x-ray diffraction band, R. W. Mattoon, R. S. Stearns, and W. D. Harkins—209(L)
"Structure" in liquids and the relation between the parameters of the Arrhenius equation for reactions in the condensed phase, Charles E. Waring and Paul Becher—488
Studies on aging of precipitates and coprecipitation XXXIX. Low temperature conductivity of silver bromide. I. Shapiro and I. M. Kolthoff—41

Spectra (see **Absorption Spectra, Fluorescence, Raman Spectra**)

Statistical Mechanics (see **Mechanics, Statistical**)

Steric Strain

Calculation of the energy of activation for the racemization of 2,2′-dibromo-4,4′-dicarboxydiphenyl, F. H. Westheimer—252

Strain in non-tetrahedral carbon atoms, C. A. Coulson and W. E. Moffitt—151(L)

Surface Phenomena

Adsorption of hydrogen on tungsten powders, George Halsey and Hugh S. Taylor—624

Chemisorption of gases, Sol Weller—336(L)

Effect of physical adsorption on the electrical resistance of activated carbon, R. McIntosh, R. S. Haines, and G. C. Benson—17

Effect of pressure on surface tension, O. K. Rice—333

Interpretation of electron diffraction patterns from hydrocarbon films, J. Karle and L. O. Brockway—213

Length changes of activated carbon rods caused by adsorption of vapors, R. S. Haines and R. McIntosh—28

Magnitude of the experimental error in the adsorption of nitrogen at 78°K on various surfaces, W. V. Loebenstein and V. R. Deitz—687(L)

Multilayer gas adsorption on composite surfaces, W. G. McMillan—390

New type of micelle: Soap with alcohol, amine, or other polar-nonpolar molecules, W. D. Harkins, R. W. Mattoon, and R. Mittelman—763(L)

Note on a proposed interpretation of the zeta-potential, Lawrence B. Robinson—113(L)

Rate of adsorption of phosgene and chloropicrin on charcoal, Malcolm Dole—447

Relationship between the Brunauer-Emmett-Teller adsorption isotherm and the new isotherm of Jura and Harkins, H. K. Livingston—617

Statistical mechanics of multimolecular adsorption. III. Introductory treatment of horizontal interactions. Capillary condensation and hysteresis, Terrell L. Hill—767

Time effect in the fracture of glass and other materials, Edward Saibel—760(L)

Thermodynamic Properties

A note on the relation between entropy and enthalpy of solution, O. K. Rice—875

Calculation of equilibrium constants for isotopic exchange reactions, Jacob Bigeleisen and Maria Goeppert Mayer—261

Comments on the "Hildebrand Rule," J. H. Hildebrand and T. S. Gilman—229

Comparative thermodynamic properties of the restricted rotator and the harmonic oscillator, J. O. Halford—364

Entropy of mixing of binary liquid mixtures, Scott E. Wood—358

Entropy of solution of molecules of different size, J. H. Hildebrand—225

Equation of state for gases at extremely high pressures and temperatures from the hydrodynamic theory of detonation, Melvin A. Cook—518

Experimental contribution to the problem of diamond synthesis, P. W. Bridgman—92

Forces between tetrahalide molecules, J. H. Hildebrand—727

Heat capacity of benzene vapor. The contribution of anharmonicity, D. W. Scott, Guy Waddington, J. C. Smith, and H. M. Huffman—565

Heat capacities of liquids and vapors, Sidney W. Benson—866

Intermolecular forces and energies of vaporization of liquids, Sidney W. Benson—367

Molecular association in hydrogen fluoride vapor, H. A. Benesi and C. P. Smyth—337(L)

Nature of the hydrogen bond in KHF_2, Kenneth S. Pitzer and Edgar F. Westrum—526(L)

On the dissociation energies of CO, N_2, NO, and CN, J. G. Valatin—336(L)

On the equation of state for gases at extremely high pressure, Stuart R. Brinkley, Jr.—113(L)

On the possibility of a chemical synthesis of diamond, D. P. Mellor—525(L)

On simple binary solid solutions, A. W. Lawson—831

On the thermodynamics of non-electrolyte solutions and its technical applications. III. Systems with associating components, O. Redlich and A. T. Kister—849

Resonance energies from thermal data, T. L. Cottrell and L. E. Sutton—685(L)

Solubilization by solutions of long-chain colloidal electrolytes, Richard S. Stearns, Hans Oppenheimer, Eric Simon, and William D. Harkins—496

Thermal properties of cyclopentane and its use as a standard substance in low temperature thermal measurements, G. J. Szasz, J. A. Morrison, E. L. Pace, and J. G. Aston—562

Thermodynamic properties of water substance 0° to 150°C, Frederick G. Keyes—602

Thermodynamics of crystallization in high polymers. I. Crystallization induced by stretching, Paul J. Flory—397

Thermodynamics of crystallization in high polymers. II. Simplified derivation of melting-point relationships, Paul J. Flory—684(L)

Thermodynamics of crystallization in high polymers. III. Dependence of melting points of polyesters on molecular weight and composition, Robert D. Evans, Harold R. Mighton, and Paul J. Flory—685

Vibrational frequencies of the isotopic water molecules; equilibria with the isotopic hydrogen, Erratum, W. F. Libby—339(L)

Thermodynamics

Calculation of the equilibrium composition of systems of many constituents, Stuart R. Brinkley, Jr.—107

On the number of independent constituents and the phase rule, I. Prigogine and R. Defay—614(L)

Ultrasonics

Application of ultrasonic waves to the study of electrolytic solutions, John Bugosh, Ernest Yeager, and Frank Hovorka—592

Propagation of ultrasonic waves through liquid mixtures and the dynamics of their molecular interaction, R. Parshad—418(L)

Ultrasonics (*continued*)
Sound velocity and the temperature change of molecular association in water, Alfred Weissler—210(L)

Valence (see **Mechanics, Quantum**)

Viscosity
Low temperature transport properties of gases. I. Helium, I. Amdur—482
Pressure coefficient of viscosity, A. Bondi—527(L)
Statistical mechanical theory of transport processes. II. Transport in gases, John G. Kirkwood—72
Temperature dependence of viscosities of liquids and activation energy, M. S. Telang—525(L)

X-Ray Diffraction
Crystal structure of hydrazinium dichloride, $N_2H_6Cl_2$, Jerry Donohue and William N. Lipscomb—115
Improved microphotometer trace of radially symmetric patterns, I. Lugoski Karle, D. Hoober, and J. Karle—765(L)
New refinement technique for x-ray structure analysis, Andrew D. Booth—415(L)
Non-ionic detergents as association colloids giving long x-ray spacings in aqueous solution, James W. McBain and Sullivan S. Marsden, Jr.—211(L)
Patterson-Harker maps of molecular crystals, A. D. Booth and Dorothy Wrinch—416(L)
Physical properties and cation arrangement of oxides with spinel structures. I. Cation arrangement in spinels, E. J. W. Verwey and E. L. Heilman—174
Physical properties and cation arrangement of oxides with spinel structures. II. Electronic conductivity, E. J. W. Verwey, P. W. Haayman, and F. C. Romeijn—181
Structure-optical studies. I. X-ray diffraction by addition compounds of halogens with hydrophilic organic polymers—C. D. West—689(L)
Structure for soap micelles as indicated by a previously unrecognized x-ray diffraction band, R. W. Mattoon, R. S. Stearns, and W. D. Harkins—209(L)
X-ray examination of cyclooctatetraene, H. S. Kaufman, I. Fankuchen, and H. Mark—414(L)